

Recipient's Name: _____

FOOT TRYKES

<input type="checkbox"/> 1410 FOOT TRYKE – (10" wheels, fixed drive) 50-FC-0100 Arm Length 12-20", Leg Length 15-21"			
<input type="checkbox"/> Option #1 – Standard Seating System: Blue Bucket Seat			
<input type="checkbox"/> Option #2 – Alternate Seating System: Snappy Seat System			
Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest			
<input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back** <input type="checkbox"/> Separator Cube			
<input type="checkbox"/> Option #3 – Alternate Seating System: OLD Blue Bucket Seat** <i>(Less expensive option for very small riders. Cannot be used with an H-Harness.)</i>			
1410 Accessories: <input type="checkbox"/> Rear Steering Kit <input type="checkbox"/> Pull/Steering Bar <input type="checkbox"/> H-Harness <input type="checkbox"/> 8" <input type="checkbox"/> 11.5"			
<input type="checkbox"/> Push Bar <input type="checkbox"/> Heavy-Duty Push Bar			

<input type="checkbox"/> 1412 ProSeries FOOT TRYKE (12" wheels, fixed drive) – 50-FC-1412 Arm Length 14-22", Leg Length 21-26"			
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seatback			
Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Skinny Saddle Seat (8.5x6")			
<input type="checkbox"/> Option #2 – Alternate Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)			
Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Medium (11.5x10") <input type="checkbox"/> Skinny Saddle Seat (8.5x6")			
Trunk Support Options: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad			
<input type="checkbox"/> Recumbent 10 Degree Seat Post			
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat			
<input type="checkbox"/> Option #4 – Alternate Seating System: Snappy Seat System <i>(too small for many 1412 riders; check seat measurements.)</i>			
Snappy Seat Accessories: <input type="checkbox"/> Notched Seat Bottom Cushion* <input type="checkbox"/> Laterals <input type="checkbox"/> Head Rest			
<input type="checkbox"/> Notched Wide Bottom Cushion* <input type="checkbox"/> XL Seat Back** <input type="checkbox"/> Separator Cube			
1412 Accessories: <input type="checkbox"/> Pull/Steering Bar <input type="checkbox"/> Toe Pedal Leveler Pulley <input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5"			
<input type="checkbox"/> Rear Steering Kit <input type="checkbox"/> Front Hand Brake Kit (cannot be used with Rear Steering)			
<input type="checkbox"/> Push Bar <input type="checkbox"/> Hi-Rise Handlebars: <input type="checkbox"/> 5" (BMX) <input type="checkbox"/> 8" <input type="checkbox"/> Exercise Pedals			
<input type="checkbox"/> Heavy-Duty Push Bar <input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" Extender Tube			

*cannot be used in conjunction with rear steering. **cannot be used in conjunction with an h-harness, head rest or laterals.

<input type="checkbox"/> NEW! High Functioning Set Up (Both Options Allow Coasting) Can be used with 1416, 1420, 1420XL (Rider must have the ability to steer, apply brake and make a complete pedal rotation on their own.) Comes Standard with Saddle Seat, 1600 Simple Seat Back, Hi-Rise Handlebars and Exercise pedals. MUST choose Option 1 or 2.			
Choose Tryke: <input type="checkbox"/> 1416 <input type="checkbox"/> 1420 <input type="checkbox"/> 1420XL			
<input type="checkbox"/> Option #1: (switch to existing freewheel hub and add Disk Brake Kit - <i>necessary</i> for safety) Adds the ability to coast			
<input type="checkbox"/> Option #2: (3-Speed Kit and coaster brake) Adds the ability to coast and switch gears for hilly terrain – <i>Replaces the 1600 Series</i>			
Standard Seating System (for either option): Saddle Seat/1600 Simple Seat Back			
Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13")			
<input type="checkbox"/> Medium Saddle (10.5x10") <input type="checkbox"/> Large Saddle (13x12")			
Adaptive Accessories: <input type="checkbox"/> Expanding Pedals <input type="checkbox"/> Telescoping Loop Handlebars <input type="checkbox"/> 1400 Seat Back Set (w/ laterals)			

Recipient's Name:

FOOT TRYKES

<input type="checkbox"/> 1416 ProSeries FOOT TRYKE (16" wheels, fixed or freewheel drive) – 50-FC-1416 Arm Length 14-22", Leg Length 24-32"
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13") Trunk Support Options: <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post
<input type="checkbox"/> Option #2 – Alternate Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13")
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat
1416 Accessories: <input type="checkbox"/> Pull/Steering Bar <input type="checkbox"/> Toe Pedal Leveler Pulley <input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5" <input type="checkbox"/> Rear Steering Kit <input type="checkbox"/> Calf & Leg Supports <input type="checkbox"/> Exercise Pedals <input type="checkbox"/> Push Bar <input type="checkbox"/> Hi-Rise Handlebars: <input type="checkbox"/> 8" <input type="checkbox"/> 12" <input type="checkbox"/> Heavy-Duty Push Bar <input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" extender tube

<input type="checkbox"/> 1420 ProSeries FOOT TRYKE (20" wheels, fixed or freewheel drive) – 50-FC-1420 Arm Length 18-28", Leg Length 27-35"
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13") Trunk Support Options: <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post
<input type="checkbox"/> Option #2 – Alternate Seating System: Saddle Seat/1600 Simple Seatback Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med 11.5x10" <input type="checkbox"/> Large(14x13")
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat
1420 Accessories: <input type="checkbox"/> Pull/Steering Bar <input type="checkbox"/> Toe Pedal Pulley <input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5" <input type="checkbox"/> Rear Steering Kit <input type="checkbox"/> Calf & Leg Supports <input type="checkbox"/> Exercise Pedals <input type="checkbox"/> Push Bar <input type="checkbox"/> 12" Hi-Rise Handlebars <input type="checkbox"/> Heavy-Duty Push Bar <input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" extender tube

<input type="checkbox"/> 1420XL ProSeries FOOT TRYKE (20" wheels, fixed or freewheel drive) – 50-FC-1420-XL Arm Length 20-32", Leg Length 28-43"
<input type="checkbox"/> Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat w/ bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13") Trunk Support Options: <input type="checkbox"/> ProSeries Head Rest <input type="checkbox"/> ProSeries Full Padded Back <input type="checkbox"/> ProSeries Lumbar Pad <input type="checkbox"/> Recumbent 10 Degree Seat Post
<input type="checkbox"/> Option #2 – Alternate Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <input type="checkbox"/> Bench Seat <input type="checkbox"/> Tractor Seat with bracket <input type="checkbox"/> Pommel Saddle Seat <input type="checkbox"/> Med (11.5x10") <input type="checkbox"/> Large(14x13")
<input type="checkbox"/> Option #3 – Alternate Seating System: Wheelchair Seat Wheelchair Seat Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing Away Arms
1420 XL Accessories: <input type="checkbox"/> Pull/Steering Bar <input type="checkbox"/> Toe Pedal Pulley <input type="checkbox"/> H-Harness: <input type="checkbox"/> 8" <input type="checkbox"/> 11.5" <input type="checkbox"/> Rear Steering Kit <input type="checkbox"/> Calf & Leg Supports <input type="checkbox"/> Exercise Pedals <input type="checkbox"/> Push Bar <input type="checkbox"/> Hi-Rise Handlebars <input type="checkbox"/> 12" <input type="checkbox"/> 23" <input type="checkbox"/> Heavy-Duty Push Bar <input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" extender tube

Recipient's Name:

FOOT TRYKES

2722 FOOT TRYKE (with 24" wheels, single speed, hand & coaster brake) – **50-FC-2722** Arm Length 22-30", Leg Length 28-36"
Advanced Riders Only; must be able to make a pedal revolution on their own

Option #1 – Standard Seating System: Large Saddle Seat (13x12")
Seat Bottom Alternates: Bench Seat Med Saddle (10.5x10) Tractor Seat w/Bracket: 19" 23"
 Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Option #2 – Alternate Seating System: 1400 ProSeries Seat Back (push grip, backpad, saddle seat (13x12") & 2 laterals)
Seat Bottom Options: Bench Seat Med Saddle (10.5x10) Tractor Seat w/Bracket: 19" 23"
 Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Option #3 – Alternate Seating System: Large Saddle Seat (13x12")/ 1600 Simple Seat Back
Seat Bottom Options: Bench Seat Med Saddle (10.5x10) Tractor Seat w/Bracket: 19" 23"
 Pommel Saddle Seat Medium (11.5x10") Large(14x13")

2722 Accessories: Exercise Pedals Expanding Pedals Heel Pedal Leveler Pulley (only w/ Expanding Pedals)
 23" Hi-Rise Handlebars Calf & Leg Supports (only w/ Expanding Pedals)
 ProSeries Handlebars Stem Riser 7-Speed Kit

JT-2000 FOOT TRYKE (Recumbent 14-Speed) – **50-FC-2000** (advanced riders only) Arm Length 20-28", Leg Length 30-41"

JT-2000 Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Basket Rearview Mirror

JT-2300-USS FOOT TRYKE (Recumbent 14-Speed with **Under Seat Steering**) – **50-FC-2300-USS** (advanced riders only)
Arm Length 20-28", Leg Length 30-41"

JT-2300-USS Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Basket Rearview Mirror

TP-3000 TADPOLE FOOT TRYKE (Recumbent 21-Speed) – **50-FC-3000** (advanced riders only) Arm Length 17-29",
Leg Length 36-45"

Tadpole Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Rearview Mirror

Therapist Assembly Notes or Comments (if any):