


Q1 Are you an occupational therapist or a physical therapist?

Answered: 202 Skipped: 0




ANSWER CHOICES	RESPONSES	
PT	81%	163
OT	19%	39
TOTAL		202

#	OTHER (PLEASE SPECIFY)	DATE
	There are no responses.	

Q2 What is your primary treatment population?


Answered: 202 Skipped: 0



ANSWER CHOICES	RESPONSES	
Pediatrics	88%	177
All ages	11%	23
Adults	1%	2
Veterans	0%	0
TOTAL		202

Q3 What is your primary treatment area?

Answered: 202 Skipped: 0



ANSWER CHOICES	RESPONSES	
Outpt clinic	53%	108
Schools	22%	44
Home Health	10%	20
Other (please specify)	9%	18
Academia/Teaching	3%	6
Acute care	1%	3
Inpt rehab	1%	3
TOTAL		202


#	OTHER (PLEASE SPECIFY)	DATE
1	Retired, volunteer at special needs preschool	9/5/2018 1:58 PM
2	Homes	9/4/2018 11:07 AM
3	NICU and inpatient pediatrics	9/3/2018 11:24 AM
4	Early intervention	8/29/2018 8:18 PM
5	hospital employee contracted 50% with schools	8/29/2018 5:37 PM
6	Early Intervention	8/29/2018 2:36 PM
7	early intervention	8/29/2018 1:36 PM
8	Adult day programs	8/29/2018 11:33 AM
9	EI	8/18/2018 7:40 PM
10	Outpatient hippotherapy	8/18/2018 6:40 PM
11	Consultation	8/16/2018 11:17 AM
12	Early intervention in the home	8/15/2018 7:51 PM
13	ECI	8/15/2018 5:43 PM
14	I work in a rural setting and cover all treatment settings	8/15/2018 2:46 PM

Amtryke Research: Therapist Survey 2018

15	In home early intervention	8/15/2018 12:49 PM
16	Inpatient, Outpatient, Schools	8/15/2018 11:54 AM
17	community private practice	8/15/2018 11:37 AM
18	early intervention	8/15/2018 11:32 AM

Q4 Have you submitted a request for an Amtryke to National AMBUCS or to a local AMBUCS chapter?


Answered: 201 Skipped: 1



ANSWER CHOICES	RESPONSES	
Yes	73%	147
No	27%	54
TOTAL		201

Q5 How confident are you in recommending the various models of Amtrykes and adaptive accessories to fit your clients?


Answered: 202 Skipped: 0



ANSWER CHOICES	RESPONSES	
Extremely confident	21%	42
Very confident	27%	55
Somewhat confident	33%	67
Not so confident	14%	29
Not at all confident	4%	9
TOTAL		202

Q6 Where do you and your clients use the Amtryke?


Answered: 202 Skipped: 0



ANSWER CHOICES	RESPONSES	
In the Clinic	11%	22
At home	29%	58
Both	51%	103
Neither	9%	19
TOTAL		202

Q7 How often do you use the Amtryke in therapy sessions per week?


Answered: 116 Skipped: 86



ANSWER CHOICES	RESPONSES	
1/week	42%	49
2 - 3/week	19%	22
4 - 6/week	9%	10
7+/week	5%	6
Never/or don't have access	25%	29
TOTAL		116

Q8 What is the typical length of time you might use an Amtryke in a therapy session? (Choose one option that serves as an average)

Answered: 118 Skipped: 84




ANSWER CHOICES	RESPONSES	
1 - 15 minutes	60%	71
15 - 30 minutes	19%	22
30 - 45 minutes	0%	0
45 - 60 minutes	0%	0
I don't use Amtrykes in my therapy sessions.	14%	16
Other (please specify)	8%	9
TOTAL		118

#	OTHER (PLEASE SPECIFY)	DATE
1	I previously used it for approximately 15 minutes	9/2/2018 8:30 PM
2	all of my amtrykes were over 8 years old and no longer work	8/30/2018 8:40 AM
3	Approx. 1-15m on Rifton adaptive tricycle but we do not have a Amtryke on site.	8/29/2018 11:39 AM
4	I don't have any clients with trykes at this time, but have used them in the past once per week and would love to use them again.	8/20/2018 8:31 AM
5	Current amtryke push handle is broken. We have a larger bike for older kids but I currently do not have anyone on my schedule appropriate to use it.	8/17/2018 6:41 PM
6	The amtryke is used outside of therapy with a student and his aide on a daily basis.	8/16/2018 2:14 PM
7	Depends on the need. Some of our schools participate in a school biking program (grades 3-8 depending on type of PE program the school has). If a student needs an adaptive bike in order to participate, we may choose the Amtryke as that bike. If that's the case, I will introduce it and train the student ahead of time.	8/15/2018 1:46 PM
8	I don't use one now because I don't have a student for whom it's appropriate at this time.	8/15/2018 1:07 PM
9	It varies greatly depending on the child. Sometimes just a few minutes others 15-30 mintues.	8/15/2018 11:29 AM

Q9 Please indicate subjective/behavioral changes you see in your clients when using the Amtryke as part of a therapy session:

Answered: 109 Skipped: 93




	INCREASE	NO CHANGE	DECREASE	TOTAL	WEIGHTED AVERAGE
Positive affect (smiling, giggling)	97% 105	3% 3	0% 0	108	1.03
Active participation in therapy	94% 103	6% 6	0% 0	109	1.06
Effort level	91% 96	8% 9	1% 1	106	1.10
Degree of focus	75% 81	25% 27	0% 0	108	1.25
Social-ization	73% 78	27% 29	0% 0	107	1.27
Frustration level	2% 2	38% 40	60% 62	104	2.58
# of complaints	1% 1	42% 42	57% 57	100	2.56

#	OTHER (PLEASE SPECIFY)	DATE
1	responses when i had amtrykes in the past	8/30/2018 8:40 AM
2	no currently using Amtryke	8/29/2018 11:42 AM
3	Varies greatly depending on child	8/21/2018 7:49 PM
4	It has been several years since I used one and it was difficult for the client to use.	8/20/2018 8:31 AM
5	The other areas really depend on the student. If the Amtryke is the appropriate adaptive bike choice, then the participation level increases and the other positive attributes also increase.	8/15/2018 1:46 PM
6	Don't have access to the equipment due to budget constraints	8/15/2018 12:13 PM
7	Different kids respond differently; no way to answer this question	8/15/2018 11:38 AM
8	increase use of weaker limbs, holding handle bar, using strap on food pedals	8/15/2018 11:22 AM

Q10 With which diagnosis(s) have you used the Amtryke? (Please choose all that apply)

Answered: 157 Skipped: 45



ANSWER CHOICES	RESPONSES	
Cerebral palsy	97%	152
Developmental delay	87%	136


Amtryke Research: Therapist Survey 2018

Autism	70%	110
Down syndrome	70%	110
Spina bifida	55%	87
Traumatic brain injury	47%	74
Visual impairment	38%	59
Cerebral vascular accident	36%	57
Arthrogyposis	29%	45
Obesity / General deconditioning	26%	41
Brachial plexus injury	21%	33
Spinal cord injury	20%	31
Oncology	18%	28
Limb amputation	17%	26
Which other diagnosis?	12%	19
Total Respondents: 157		

#	WHICH OTHER DIAGNOSIS?	DATE
1	sensory processing disorder, adhd, epilepsy	8/30/2018 8:43 AM
2	Marfan's syndrome	8/29/2018 8:01 PM
3	Osteogenesis Imperfecta, DCD	8/29/2018 5:42 PM
4	A variety of diagnosis including chromosome mutations/deletions	8/29/2018 2:56 PM
5	spinal muscular atrophy; Alexanders Disease	8/29/2018 1:43 PM
6	Congenital heart defect	8/29/2018 1:40 PM
7	s/p NMDA encephalitis	8/29/2018 11:49 AM
8	Seizure	8/29/2018 11:23 AM
9	various genetic disorders	8/21/2018 7:52 PM
10	agenesis of corpus callosum	8/21/2018 8:22 AM
11	Duchenne's Muscular Dystrophy, Juvenile Rheumatoid Arthritis	8/17/2018 12:33 AM
12	Muscular dystrophy	8/16/2018 9:21 PM
13	Prader Willi syndrome, Toriello-Carey syndrome	8/16/2018 11:23 AM
14	For	8/15/2018 11:03 PM
15	Some rare genetic disorders	8/15/2018 7:28 PM
16	Anyone who cannot rode a traditional tricycle or bicycle	8/15/2018 3:01 PM
17	Muscular Dystrophy	8/15/2018 1:21 PM
18	SMA, EDS, genetic conditions	8/15/2018 12:17 PM
19	sensory processing disorder -- heavy work activity cuff weights added to bike bar	8/15/2018 11:26 AM

Q11 With which age groups do you typically use the Amtryke? (please check all that apply)


Answered: 155 Skipped: 47



ANSWER CHOICES	RESPONSES	
18 months - 2 years old	19%	30
2 - 4 years old	70%	108
5 - 8 years old	83%	128
9 - 12 years old	68%	105
13 - 18 years old	40%	62
19 years and older	15%	23
Adults	9%	14
Seniors	3%	4
Total Respondents: 155		

Q12 If a client has access to an Amtryke at home, how often do you incorporate the Amtryke into his or her home program?


Answered: 152 Skipped: 50



ANSWER CHOICES	RESPONSES	
Never	6%	9
Seldom	15%	23
Frequently	57%	87
Always	22%	33
TOTAL		152

Q13 To the best of your knowledge, where do your clients most frequently ride an Amtryke? (check all that apply)

Answered: 157 Skipped: 45



ANSWER CHOICES	RESPONSES	
Home with family members	86%	135
During therapy	47%	74
At the park	38%	60
Out in the community	34%	54
School during recess	20%	31
Home with friends	16%	25
Home as a mobility aid	8%	13
Home independently	8%	12
Other (please specify)	8%	12
School as mobility aid	6%	9


Amtryke Research: Therapist Survey 2018

Total Respondents: 157

#	OTHER (PLEASE SPECIFY)	DATE
1	School PE, Motor lab	9/5/2018 2:02 PM
2	we lost our local contact and have been unable to get new trykes for clinic or patients that have outgrown previous models	8/30/2018 8:43 AM
3	Adaptive PE time during school	8/29/2018 5:42 PM
4	one child outgrew tryke and it went to another special needs child; one child is off my caseload and hip dislocation stopped his his; prior to them moving I spoke with your company and recommended going to hands only to continue use but the mother did not want that at the time	8/29/2018 1:43 PM
5	out side community recreational activities, like a Triathlon.	8/21/2018 9:25 PM
6	school during gym class	8/20/2018 9:28 AM
7	It depends- if they own one- in their neighborhood, if not at clinic	8/16/2018 1:18 PM
8	I have not used AmTryke in a while as my patients have been too young but usually at home with family	8/15/2018 3:55 PM
9	During our bike camp	8/15/2018 3:54 PM
10	School.... during the biking section of PE class	8/15/2018 1:49 PM
11	camp grounds	8/15/2018 11:40 AM
12	local track; parents run and child rides his tryke!	8/15/2018 11:31 AM

Q14 Please indicate which component(s) of the ICF (International Classification of Functioning) model you utilize an Amtryke to impact


Answered: 155 Skipped: 47



ANSWER CHOICES	RESPONSES	
Body Structure/Function	80%	124
Activity	81%	125
Participation	75%	117
Total Respondents: 155		

Q15 Please rank the following ICF therapeutic focus areas according to what the typical priority is (1 is high) when utilizing an Amtryke in therapy?


Answered: 152 Skipped: 50



	1ST PRIORITY	2ND PRIORITY	3RD PRIORITY	TOTAL	SCORE
Body Structure/Function	29% 41	26% 36	45% 64	141	1.84
Activity	35% 51	49% 70	16% 23	144	2.19
Participation	40% 59	26% 38	35% 52	149	2.05

Q16 Please indicate which body structure/function(s) you use the Amtryke for as part of your therapy sessions or home programming? (Please check all that apply)


Answered: 154 Skipped: 48



ANSWER CHOICES	RESPONSES	
Neuromusculoskeletal and movement related structures and functions	98%	151
Cardiovascular structures and functions	68%	104
Cognitive structures and function	55%	85
Respiratory structures and functions	53%	81
Sensory structures and functions and pain	51%	79
Digestive and metabolic structures and functions	17%	26
Integument structures and functions	10%	16
Voice and speech structures and functions	8%	12
Total Respondents: 154		

Q17 Please indicate which of component(s) of fitness you use the Amtryke to impact as part of your therapy sessions or home programming: (check all that apply)

Answered: 155 Skipped: 47



ANSWER CHOICES	RESPONSES
Muscular Strength	95% 147
Muscular Endurance	92% 143
Coordination	88% 136
Cardiovascular Endurance	75% 116
Flexibility (improving ROM)	68% 105
Balance	53% 82
Reaction Time	28% 43
Speed	23% 36

Amtryke Research: Therapist Survey 2018

Agility	23%	36
Body Composition	21%	32
Other (please specify)	3%	4
Total Respondents: 155		

#	OTHER (PLEASE SPECIFY)	DATE
1	Mental health (achievement, fun, participation)	9/5/2018 2:02 PM
2	age appropriate play	8/29/2018 1:43 PM
3	Motor planning, attention/safety training	8/29/2018 11:44 AM
4	Mental health	8/29/2018 11:40 AM